

Introduction to Botany. Lecture 15

Alexey Shipunov

Minot State University

October 6, 2014



- 1 Questions and answers
- 2 Life cycle
 - Diversity of life cycles
 - Evolution of life cycles



1 Questions and answers

2 Life cycle

- Diversity of life cycles
- Evolution of life cycles



Previous final question: the answer

In most organisms, cells participating in syngamy are unequal
(male and female).
Why?



Previous final question: the answer

In most organisms, cells participating in syngamy are unequal (male and female).

Why?

- This is a division of labor which saves resources. They are concentrated in one place (“female”) whereas the other gender (“male”) may increase in number to make fertilization more likely.
- It is easier to recognize different genotypes if they have phenotypic differences.



Life cycle

Diversity of life cycles




General life cycle: multicellular organism

Associated terms: mitosis, meiosis (R!), syngamy (Y!), reproduction, sexual reproduction, asexual reproduction, vegetative reproduction, isogamy, heterogamy, oogamy, zygote, gamete, male, female, spermatozoon, oocyte, haplont, diplont, spores, mitospores




General life cycle: multicellular organism




Associated terms: mitosis, meiosis (R!), syngamy (Y!), reproduction, sexual reproduction, asexual reproduction, vegetative reproduction, isogamy, heterogamy, oogamy, zygote, gamete, male, female, spermatozoon, oocyte, haplont, diplont, spores, mitospores




Diversity of life cycles




Sporic life cycle: plants




Gametic life cycle: animals



Zygotic life cycle: protists



Life cycle math



- 1 — zygotic cycle (Y!→R!);
 2 — gametic cycle (R!→Y!).




Life cycle

Evolution of life cycles



Diplonts grow, haplonts reduce




Why diplonts are better?

They have two variants of each gene!

- 1 **Dominance:** if one gene is deadly mutated, there is the second working variant
- 2 **Protein production:** two genes will give more protein
- 3 **Diversity:** if one gene is producing protein adapted to $+5\dots+30^{\circ}\text{C}$ and other—to $+10\dots+35^{\circ}\text{C}$, the organism may live under $+5\dots+35^{\circ}\text{C}$



Life cycle of plants₂



Final question (2 points)



Final question (2 points)

What is the difference between zygotic and gametic life cycles?



Summary

- **Zygotic** life cycle has no *diplont*, **gametic** life cycle has no *haplont*, **sporic** life cycle has both *haplont* and *diplont*
- The evolution of life cycles goes from zygotic to sporic and then to gametic because diplonts are preferred in the evolution



For Further Reading



A. Shipunov.

Introduction to Botany [Electronic resource].

2010—onwards.

Mode of access:

http://ashipunov.info/shipunov/school/biol_154



Th. L. Rost, M. G. Barbour, C. R. Stocking, T. M. Murphy.

Plant Biology. 2nd edition.

Thomson Brooks/Cole, 2006.

Chapter 12 (skip the angiosperm life cycle!)

